

supplied by AgriNet

270 kg N/ha/year

GrassCheck plots receive

			\sim	
	Value of Grass		Grass Quality	
J	Dairy – maintenance plus (M+) (kg/cow/day)*	8.0	DM (%)	13.6
	Growing animals – daily live weight gain (kg/head/day)**	0.97	CP (% DM)	21.0
F	*M+ calculated assuming: 650kg cow, and 10.5 kg DMI. Maintenance=75 MJ/day, 5.3 MJ/kg milk		WSC (% DM)	10.1
ed.		Beef daily gain assuming: 300 kg beef steer, and 6 kg DMI. Maintenance=35 MJ/day, 40 MJ/kg gain		11.2

MANAGEMENT NOTES:

0

 Plot growth this week is 8.9 Kg DM/ha above the long-term average. This trend is currently predicted to continue for the next two weeks.

01-Mar 01-Apr 01-May 01-Jun 01-Jul 01-Aug 01-Sep 01-Oct 01-Nov

- It is very important to achieve target residuals during the final round of grazing to ensure quality grass for spring turnout. Try to avoid grazing heavy covers during wet weather.
- Aim to graze drier fields first during the last round as the first paddocks closed will have the heaviest covers next spring.
- The deadline for spreading slurry is 15th October. Take advantage of the current ground conditions to ensure that slurry tanks are emptied

Department of Agriculture, Environment and Rural Affairs www.daera-ni.gov.uk

